

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1650	716/1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 13:20
L2	1	(716/1).ccls. and ((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 13:21
S1	1464	716/2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:21
S2	2070	716/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:21
S3	1633	716/5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:21
S4	0	(716/2).ccls. and ((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 13:21
S5	0	(716/4).ccls. and ((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:26
S6	0	(716/5).ccls. and ((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:26
S7	1	("716"/\$).ccls. and ((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:28

S8	2	((standard adj cells) same (variant)) and (manufactur\$3 adj environment) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:29
S9	2	((standard adj cells) same (variant)) and (manufactur\$3 adj problem) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:30
S10	1	((standard adj components) same (variant)) and (manufactur\$3 adj problem) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:31
S11	1	((standard adj components) same (variant adj designs)) and (manufactur\$3 adj problems) and (yield same ((integrated adj circuit) or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:36
S12	1	((standard adj components) same (variant adj designs)) and (manufactur\$3 adj problems) and (yield same ((integrated adj circuit) or IC)) and rat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 12:37

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((standard cells) <and> (variant designs) <and> (yield))<in>metadata)"

[Email](#)

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)» **Key**IEEE JNL IEEE Journal or
MagazineIEEE JNL IEE Journal or
MagazineIEEE
CNF IEEE Conference
ProceedingIEEE CNF IEE Conference
ProceedingIEEE
STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE --

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((standard components)<and> (variant design) <and> (manufacturing problem) <and> ..."

Your search matched **0** of **1168854** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)» [Key](#)

Modify Search

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((variant designs) <and> (manufacturing issues) <and> (yield))<in>metadata)"

e-mail

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)» **Key**IEEE JNL IEEE Journal or
MagazineIEEE JNL IEEE Journal or
MagazineIEEE
CNF IEEE Conference
ProceedingIEEE CNF IEEE Conference
ProceedingIEEE
STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(((standard cells) <and> (variants) <and> (manufacturing problem) <and> (yield)))&l..." [Email](#)

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)[» Key](#)IEEE JNL IEEE Journal or
MagazineIEEE JNL IEE Journal or
MagazineIEEE
CNF IEEE Conference
ProceedingIEEE CNF IEE Conference
ProceedingIEEE
STD IEEE Standard

Modify Search


 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir.

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --





Web Results 1 - 9 of about 12 for **(standard cell)(variant designs)(yield) "(manufacturing problem)"**. (0.33 s)

Transgenomic Wave® User Group Discussion Topics This page contains ...

I had run a mutation **standard** (DYS271) after denaturing on the same Robocycler in

... Does the DHPLC detect more than one **variant** in single segment well? ...

www.leeds.ac.uk/medicine/res_school/mol_vas_med/wave/topics.htm - 132k - [Cached](#) - [Similar pages](#)

Abstracts Barcelona Conference

Standard designs such as the two-level factorial **designs** and the three-level factorial ... A typical industrial solar **cell** process contains several steps: ...

www.enbis.org/barcelonaconference/abstracts.html - 189k - [Cached](#) - [Similar pages](#)

[PDF] On the Homogenization of Temperature Dependent Thermal ...

File Format: PDF/Adobe Acrobat

constituents is insufficient in modeling the true **manufacturing problem**. ...

each of the elements of the unit **cell**. Later, the effective conductivity of the ...

pdf.aiaa.org/GetFileGoogle.cfm?gID=713&gTable=mtgpaper - [Similar pages](#)

CBER - Transcript - Identifying Optimal Methods for Clinical ...

This is a **standard** setup. The same blood, the same antibodies except one ...

I have seen a lot of hairy **cell variant**. At NIH you see a lot of weird things. ...

www.fda.gov/cber/minutes/cytomtry041003t.htm - 329k - [Cached](#) - [Similar pages](#)

[PDF] 12 views of PhRMA, and that is simply because all the impressive,

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... simply chicken red blood **cell** hemagglutination testing. ... And actually this ratio is

about correct, it appears to **yield** about one-third to one-half the ...

www.fda.gov/OHRMS/DOCKETS/AC/01/transcripts/3680t1_03.pdf - Supplemental Result - [Similar pages](#)

[[More results from www.fda.gov](#)]

[doc] 50-100

File Format: Microsoft Word 2000 - [View as HTML](#)

I've seen that prism design in books, it's **standard** although I don't know ...

You might have an unusual **variant**, but this general description fits a glass ...

home.europa.com/~telscope/List.50-100.doc - [Similar pages](#)

Archives of an email list on the history of binoculars. http ...

I've seen that prism design in books, it's **standard** although I don't know ...

A 50% gray matte background with small aperture will **yield** good contrast and ...

home.europa.com/~telscope/listpr50.txt - 413k - [Cached](#) - [Similar pages](#)

Logic Synthesis for Manufacturability

However, for complex nanometer **designs**, **yield** might depend more on design ...


Because **yield** data for the **standard-cell** library was not available to us, ...

doi.ieeeecs.org/10.1109/MDT.2004.15 - [Similar pages](#)

Usenet Archive

... to it for use in > European & Japanese **cell** phones, but ... they all custom build their stuff, is there no **standard**? ... Is it required to have a **variant** of the RTOS ...

www2.usenetarchive.org/Dir19/File468.html - 93k - Supplemental Result - [Cached](#) - [Similar pages](#)



Web Results 1 - 4 of 4 for (standard components)(variant)(yield)(logic function)(IC) "(manufacturing prob

Tip: Try removing quotes from your search to get more results.

Abstracts Barcelona Conference

A Review of the Intensity **Function** of the Non-Homogeneous Poisson Process ...

Integrated Circuits (IC's) exist of thousands of transistors connected with ...

www.enbis.org/barcelonaconference/abstracts.html - 189k - [Cached](#) - [Similar pages](#)

[PDF] **Global Production Engineering International Master of Science ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Components according to Caterpillar Product and Process ... Position where 4 years of automotive component **manufacturing, problem** solving oriented ...

www.gpe.tu-berlin.de/phpBB2/download.php?id=238 - [Similar pages](#)

[PDF] **COMBINING EXPERIENTIAL AND THEORETICAL KNOWLEDGE IN THE DOMAIN OF ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

interactions in the course of diagnosing a **manufacturing problem**. ... describe the concept of a causal association network, as a **variant** of the heuristic- ...

historical.ncstrl.org/litesite-data/stan/CS-TR-94-1526.pdf - [Similar pages](#)



Logic Synthesis for Manufacturability

Yervant Zorian, Virage **Logic**; and Dimitris Gizopoulos, University of Piraeus ...

Effective-yield ratio with respect to **standard** synthesis optimization on ...

doi.ieeeecs.org/10.1109/MDT.2004.15 - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google